

INDEX TO VOLUME 21 OF THE JOURNAL OF THE  
FISHERIES RESEARCH BOARD OF CANADA

A

- Abundance  
4: 661 (lobster larvae in Northumberland Strait, Gulf of St. Lawrence)
- Abnormalities  
6: 1547 (northern pike with accessory fin)
- Acara, Huseyin Altan  
2: 397 (vertical transport velocity in the sea)
- Acid, lactic  
2: 255 (levels in migrating salmonids)  
6: 1539 (in rainbow trout and effects of anaesthesia)
- Acids, amino  
3: 641 (of bacteria in relation to taxonomy)
- Acids, fatty  
2: 247 (structural homogeneity in marine lipids)  
2: 319 (of cod liver oil)  
2: 367 (of cod flesh)  
3: 469 (of cod roe)  
3: 653 (oxidation by sockeye salmon tissues)  
4: 747 (produced by diatom, *Skeletonema costatum*)  
4: 841 (of pilchard oil)  
6: 1379 (distribution in lipids of marine plankton)
- Ackman, Robert George  
2: 247 (fatty acids of marine lipids)  
2: 319 (fatty acids of cod liver oil)  
2: 367 (fatty acids of cod flesh)  
2: 423 ("blackberry" problem in cod)  
3: 469 (fatty acids of cod roe)  
4: 747 (origin of marine fatty acids)  
4: 841 (fatty acids of pilchard oil)  
6: 1379 (fatty acids in plankton lipids)
- Activity  
1: 133 (cycles in brown trout)  
5: 1183 (performance of young sockeye salmon)
- Age and growth  
1: 57 (Atlantic cod)  
1: 139 (marine phytoplankters as related to light and temperature)  
2: 413 (asymmetrical pair of cod otoliths)  
2: 415 (female sea lions in B.C.)  
3: 597 (related to fecundity of American plaice)  
4: 773 (fur seals)  
5: 905 (pink and chum salmon in ocean)  
5: 1051 (Pacific cod)  
5: 1101 (pink salmon at stages in life history)  
6: 1403 (pandalid shrimps of B.C.)
- Alaska  
3: 485 (homing of sockeye salmon)  
6: 1385 (egg capacity of pink salmon spawning beds)
- Anaesthetic  
6: 1539 (effect on glycolysis in rainbow trout)
- Analysis, chemical  
1: 107 (of fish brain for the oligopeptide, neurosine)  
2: 247 (fatty acids of marine lipids)  
2: 319 (fatty acids of cod liver oil)  
2: 335 (proximate composition of "milky" Pacific fishes)  
2: 367 (fatty acids of cod flesh)  
2: 423 (dimethyl sulphide in "blackberry" cod)  
3: 469 (fatty acids of cod roe)  
4: 703 (seasonal variations in composition of cod)  
4: 747 (fatty acids produced by diatom, *Skeletonema costatum*)  
4: 841 (fatty acids of pilchard oil)  
5: 1035 (sterol, fat, and unsaponifiable components of scallop muscle)  
6: 1481 (sulphur compounds of oysters)  
6: 1489 (various fish protein concentrates)  
6: 1519 (sterols of Atlantic oyster)  
6: 1543 (sterols of scallop)
- Angling  
3: 643 (licence sales from Northwest Territories)
- Apparatus and equipment  
2: 255 ("endless" fishways used for salmonids)  
3: 635 (for obtaining pituitary glands from fish)  
3: 639 (subsampler for small planktonic organisms)  
3: 647 (new bathythermograph card processor)  
4: 711 (for prolonged blood sampling in swimming salmon)  
4: 845 (air-lift pump for elevating fish)
- Arctic  
6: (ascidians of Canadian arctic)
- Argis dentata*  
3: 461 (compared with *Argis lar*)
- Argis lar*  
3: 461 (compared with *Argis dentata*)
- Aro, Kosta Victor  
5: 1329 (stock size and resultant production of sockeye salmon)
- Ascidacea  
6: 1505 (Canadian arctic waters)
- Astyanax mexicanus*  
6: 1453 (illumination, vision, and schooling)

## B

## Bacteria

- 1: 37 (control in refrigerated brines by ultraviolet irradiation)
- 3: 641 (amino acid composition in relation to taxonomy)
- 6: 1371 (rancidity in lean fish and inhibiting effect of)

## Barraclough, William Edward

- 5: 1333 (marine life of eulachon)

## Bary, Brian McKenzie

- 1: 183 (oceanography of eastern North Atlantic)

## Baslow, Morris Henry

- 1: 107 (neurosome in brain of fish)

*Batillaria cumingi*

- 5: 1155 (distribution in B.C. waters)

## Behaviour

- 2: 291 (vertical movement of *Daphnia* in relation to light)
- 3: 591 (retinomotor cycles of teleost)
- 3: 613 (net avoidance by carp and other fish)
- 5: 995 (salinity preference of Pacific salmon)
- 6: 1453 (vision and schooling of *Astyanax mexicanus*)

## Bell, Gordon Russel

- 4: 711 (technique for prolonged blood sampling in salmon)

## Bilinski, Edward

- 3: 653 (utilization of lipids by fish)
- 4: 765 (precursors of trimethylamine oxide)

## Bilton, Herbert Thomas

- 5: 1267 (key for Pacific salmon based on scales)

## Black, Edgar Clark

- 2: 255 (glycogen and lactate in migrating salmonids)
- 6: 1539 (effects of MS 222 anaesthesia)

## "Blackberry" cod

- 2: 423 (association of dimethyl sulphide with)

## Blood

- 2: 239 (serum protein patterns of sea lamprey)
- 4: 691 (serologically differentiated subpopulations of Pacific sardine)
- 4: 711 (sampling in free-swimming salmon)
- 6: 1539 (lactate in rainbow trout and effect of anaesthesia)

## Boyd, John William

- 1: 37 (irradiation of refrigerated brines)

## Brett, John Roland

- 5: 1183 (oxygen consumption in young sockeye)

## Brockerhoff, Hans

- 1: 101 (polyphosphate treatment of frozen cod)
- 4: 747 (origin of marine fatty acids)
- 6: 1379 (fatty acids in plankton lipids)

## Brocklesby, Horace Nicholas

- 2: 409 (obituary)

## Burgher, Robert Douglas

- 2: 319 (fatty acids of cod liver oil)
- 2: 367 (fatty acids of cod flesh)
- 3: 469 (fatty acids of cod roe)

## Butler, Terrance Henry

- 2: 419 (records of shrimps)
- 5: 971 (redescription of *Holophryxus alaskensis*)
- 6: 1403 (Pandalidae of B.C.)

## C

## Calcium carbonate

- 6: 1475 (extent of saturation in Labrador Sea)

## Campbell, Neil John

- 1: 45 (cold saline water in Foxe Basin)

## Carbon

- 3: 505 ( $C^{14}$  technique in studying marine primary production)

Carp (*Cyprinus carpio*)

- 3: 613 (avoidance of nets)

## Carter, Neal Marshall

- 2: 409 (obituary—Horace Nicholas Brocklesby, 1901–1963)

## Castell, Charles Howell

- 4: 813 (storage of irradiated scallops)
- 4: 827 (gamma irradiation of haddock fillets)
- 6: 1345 (evaluation of rancidity in fish muscle)
- 6: 1361 (variations in rancidity in lean fish muscle)
- 6: 1371 (bacterial inhibition of rancidity in lean fish muscle)

## Chalker, Dorothy Ann

- 3: 539 (polyphosphate treatment of twice-frozen cod)
- 6: 1397 (polyphosphate treatment of frozen trap cod)

## Chew, Kenneth Kendall

- 1: 205 (*Mytilicola orientalis* in mussel)

## Claggett, Freddie Gene

- 4: 845 (air-lift pump for elevating fish)

Clam, Japanese little neck (*Venerupis japonica*)

- 5: 1155 (distribution in B.C. waters)

Clam, mud (*Mya arenaria*)

- 5: 1155 (distribution in B.C. waters)

## Clemens, Wilbert Amie

- 5: 869 (an appreciation)

Cod, Atlantic (*Gadus morhua*)

- 1: 57 (variations in growth)
- 1: 101 (polyphosphate treatment)
- 1: 115 (water-thawing of frozen blocks)
- 2: 215 (winter tagging on offshore Nova Scotia banks)
- 2: 319 (fatty acids of liver oil)
- 2: 347 (wound healing)
- 2: 367 (fatty acids of flesh)
- 2: 413 (asymmetrical pair of otoliths)
- 2: 423 (association of dimethyl sulphide with "blackberry")
- 3: 429 (seasonal distribution in relation to water temperature)

- Cod, Atlantic (*Gadus morhua*) (continued)  
 3: 469 (fatty acids of roe)  
 3: 539 (polyphosphate treatment of twice-frozen)  
 3: 577 (effect of cooking method on palatability of frozen fillets)  
 4: 703 (seasonal variations in chemical composition)  
 4: 719 (temperatures and thaw-drip with electronic thawing)  
 6: 1345 (evaluation of rancidity)  
 6: 1361 (anatomical and seasonal variations in rancidity)  
 6: 1371 (inhibition of rancidity by bacteria)  
 6: 1397 (assessment of polyphosphate treatment of frozen)  
 6: 1489 (fish protein concentrates from)
- Cod, Pacific (*Gadus macrocephalus*)  
 1: 9 (embryonic development and larvae)  
 5: 1051 (growth and mortality)
- Collins, Gerald Bradford  
 2: 255 (glycogen and lactate in migrating salmonids)
- Conchoecia alata major*  
 3: 555 (ostracod from Indian Arm, B.C.)
- Conchoecia alata minor*  
 3: 555 (new ostracod subspecies from Indian Arm, B.C.)
- Connor, Anne Robertson  
 2: 255 (glycogen and lactate in migrating salmonids)  
 6: 1539 (effects of MS 222 anaesthesia)
- Cooking  
 3: 577 (method and palatability of frozen cod)
- Copepoda, parasitic (see also Crustacea)  
 1: 205 (*Mytilicola orientalis* in gut of California mussel)  
 4: 681 (*Lernaeopoda centroscyllii* on dogfish)  
 5: 873 (*Caligus clemensi* sp. nov. on Pacific fishes)
- Copper  
 1: 17 (lethal concentration for young Atlantic salmon)
- Cornick, John Walter  
 6: 1549 (lobster tolerance to wood extracts)
- Crab, hermit (*Pagurus pubescens*)  
 2: 355 (taxonomic comparison with *P. arcuatus* sp. nov. and *P. trigonocheirus*)
- Craig, Allison Maud  
 4: 773 (reproduction in the female fur seal)
- Crustacea (see also Isopoda; Copepoda, parasitic; Ostracoda, marine; Plankton, marine; Lobster; Shrimps)  
 2: 355 (taxonomic comparison of decapods, *Pagurus* spp.)  
 3: 461 (comparison between *Argis lar* and *A. dentata*)
- Culture, tissue  
 2: 347 (wound healing in cod)
- Currents, water  
 2: 397 (vertical transport velocity in north-eastern Pacific)  
 5: 1227 (associated with ocean migration of Pacific salmon)  
 5: 1289 (dispersion of kraft-mill effluent in Stuart Channel, B.C.)
- D**
- Damberg, Nikolajs  
 4: 681 (extractives of fish muscle)
- Daphnia*  
 2: 291 (vertical movement in relation to light intensity)
- Davis Strait  
 4: 681 (*Lernaeopoda centroscyllii*, parasitic on dogfish)
- Diatoms  
 4: 747 (fatty acids produced by *Skeletonema costatum*)  
 6: 1379 (fatty acids in lipids from *Skeletonema costatum*)
- Distribution  
 1: 209 (duck-billed oceanic eel in north-west Atlantic)  
 2: 215 (Atlantic cod)  
 2: 419 (shrimps of B.C.)  
 3: 429 (Atlantic cod in relation to temperature)  
 4: 661 (lobster larvae in Northumberland Strait, Gulf of St. Lawrence)  
 4: 691 (subpopulations of Pacific sardine)  
 4: 861 (blue sharks in Gulf of Alaska)  
 5: 891 (vertical distribution of Pacific salmon in Gulf of Alaska)  
 5: 977 (lake trout)  
 5: 1129 (Greenland halibut)  
 5: 1155 (introduced molluscs in B.C.)  
 5: 1227 (Pacific salmon in ocean)  
 5: 1333 (eulachon)  
 6: 1403 (pandalid shrimps of B.C.)  
 6: 1505 (ascidians of Canadian arctic)  
 6: 1523 (American and European eels in Atlantic)
- Dogfish (*Centroscyllium fabricii*)  
 4: 681 (host of parasitic copepod)
- Drip  
 1: 101 (on thawing polyphosphate-treated cod)  
 3: 539 (on thawing polyphosphate-treated twice-frozen cod)  
 4: 719 (with electronic thawing of cod)  
 6: 1397 (from polyphosphate-treated frozen trap cod)
- Dyer, William John  
 1: 101 (polyphosphate treatment of frozen cod)  
 3: 539 (polyphosphate treatment of twice-frozen cod)  
 3: 577 (palatability of frozen cod)  
 4: 813 (storage of irradiated scallops)  
 4: 827 (gamma irradiation of haddock fillets)

## E

- Eel, American (*Anguilla rostrata*)  
6: 1523 (breeding area)
- Eel, duck-billed oceanic (*Nessorhamphus ingolfianus*)  
1: 209 (first record in northwest Atlantic)
- Eel, European (*Anguilla anguilla*)  
6: 1523 (breeding area)
- Eel-blenny (*Pholis clemensi* sp. nov.)  
5: 933 (new species from Pacific coast)
- Eggs  
1: 9 (rate of development on Pacific cod)  
4: 851 (egg cases of the big skate)  
6: 1385 (egg capacity of pink salmon spawning beds)  
6: 1531 (demersal quality of rock sole eggs)  
6: 1533 (rate of development of rock sole eggs)
- Elling, Carl Heinz  
2: 255 (glycogen and lactate in migrating salmonids)
- Ellis, Douglas Graham  
1: 115 (water-thawing of cod)
- Embryonic development  
1: 9 (Pacific cod)
- Eulachon (*Thaleichthys pacificus*)  
5: 1333 (marine life history)
- Exploitation  
1: 1 (sustained yield from fluctuating environment)  
4: 727 (*Esox masquinongy*)  
5: 905 (pink and chum salmon)  
5: 1019 (pink salmon)  
5: 1051 (Pacific cod)  
5: 1245 (model of population biology of Pacific salmon)  
5: 1329 (sockeye salmon)
- Eye  
3: 591 (retinomotor cycles of *Astyanax mexicanus*)  
5: 1089 (reflectivity of chorioidal tapeta)

## F

- Fat (see Oil)
- Fecundity  
3: 597 (American plaice)  
4: 757 (guppy)
- Fjords (see Inlets)
- Fish protein concentrate  
6: 1489 (characteristics and nutritive value)
- Fishing  
5: 905 (high seas versus coastal fishing for Pacific salmon)
- Fishing methods  
5: 891 (gillnets for catching Pacific salmon in Gulf of Alaska)
- Flounder, starry (*Platichthys stellatus*)  
2: 335 ("milky" condition in)  
4: 765 (precursors of trimethylamine oxide and betaine in)
- Flour, fish (see Fish protein concentrate)

## Food

- 1: 133 (as related to activity of brown trout)  
2: 215 (factor in Atlantic cod migration)  
4: 757 (effect on fecundity of guppy)  
4: 861 (of blue shark in Gulf of Alaska)  
5: 1083 (lack of predation on lamprey of Pacific coast)
- Forrester, Clifton Roger  
1: 9 (embryonic development of Pacific cod)  
6: 1531 (demersal quality of fertilized eggs of rock sole)  
6: 1533 (rate of development of rock sole eggs)
- Foxe Basin  
1: 45 (origin of high-salinity water)
- Fraser, Doris Isabel  
1: 101 (polyphosphate treatment of frozen cod)  
3: 577 (palatability of frozen cod)  
4: 813 (storage of irradiated scallops)  
4: 827 (gamma irradiation of haddock fillets)
- Freeman, Harry Cleveland  
4: 813 (storage of irradiated scallops)

## G

- Gauley, Joseph Robert  
2: 255 (glycogen and lactate in migrating salmonids)
- Gee, John Henry  
1: 27 (movements of young Atlantic salmon)
- Geiger, Shirley Evelyn  
4: 857 (rigor in steelhead trout)
- Gilmartin, Malvern  
3: 505 (primary production of B.C. fjord)
- Glycogen  
2: 255 (changes in migrating salmonids)
- Glycolysis  
6: 1539 (in rainbow trout and effects of anaesthesia)
- Grand Bank  
3: 597 (fecundity of American plaice)
- Grayling (*Thymallus arcticus*)  
2: 373 (organogenesis of olfactory apparatus)
- Great Slave Lake  
3: 643 (angling licence sales)
- Greenling (*Hexagrammos* sp.)  
5: 873 (host of *Caligus clemensi* sp. nov.)
- Groninger, Herman Samuel Jr.  
2: 335 ("milky" condition in fish)
- Growth (see Age and growth)
- Growth rate  
5: 905 (pink and chum salmon in ocean)  
5: 1101 (pink salmon for stages in life history)
- Gulf of St. Lawrence  
1: 57 (growth of Atlantic cod)
- Gunnel (*Pholis clemensi* sp. nov.) (see Eel-blenny)
- Guppy (*Lebistes reticulatus*)  
4: 757 (effect of food supply on fecundity)

## H

- Haddock (*Melanogrammus aeglefinus*)  
 4: 827 (storage life after gamma irradiation)  
 6: 1345 (evaluating rancidity in)
- Halibut, Atlantic (*Hippoglossus hippoglossus*)  
 4: 837 (movement on Nova Scotian and Grand Banks)
- Halibut, Greenland (*Reinhardtius hippoglossoides*)  
 5: 1129 (distribution, synonymy, and variation)
- Halibut, Pacific (*Hippoglossus stenolepis*)  
 2: 335 ("milky" condition in)
- Handling, fish  
 4: 845 (air-lift pump for elevating fish)
- Harrison, John Stanley Milton  
 4: 845 (air-lift pump for elevating fish)
- Hasler, Arthur Davis  
 2: 291 (movement of *Daphnia*)
- Hartman, Wilbur Lee  
 3: 485 (homing of sockeye salmon)
- Haut, Michael  
 3: 591 (retinomotor cycles)
- Hecate Strait  
 5: 1051 (growth and mortality of Pacific cod)
- Heming Lake, Manitoba  
 3: 549 (incidence of *Ligula intestinalis* in fish)
- Herring, Atlantic (*Clupea harengus*)  
 1: 57 (as food for Atlantic cod)  
 1: 203 (spawning off southwest Nova Scotia)  
 6: 1489 (fish protein concentrate from)
- Herling, Pacific (*Clupea pallasii*)  
 5: 873 (host of *Caligus clemensi* sp. nov.)  
 5: 1317 (number of fish in spawning population)
- Hester, Frank Jay  
 4: 757 (fecundity in female guppy)
- Hillemann, Howard Hebert  
 2: 373 (olfactory apparatus of grayling)
- Hitz, Charles Robert  
 4: 851 (skate egg cases)
- Hoar, William Stewart  
 5: 869 (W. A. Clemens—an appreciation)
- Holophryxus alaskensis* (Isopoda)  
 5: 971 (redescription of parasitic isopod)
- Homing  
 3: 485 (sockeye salmon)  
 5: 1227 (Pacific salmon)
- Hook Nose Creek, B.C.  
 5: 1019 (sea mortality of pink salmon)
- Hourston, Alan Stewart  
 5: 1245 (model of salmon population)
- Houston, Arthur Hillier  
 6: 1535 (osmoregulatory adaptation of salmonids)
- Hoyle, Richard James  
 1: 101 (polyphosphate treatment of frozen cod)  
 4: 747 (origin of marine fatty acids)  
 6: 1379 (fatty acids in plankton lipids)

- Hubbs, Carl Leavitt  
 5: 1129 (distribution of Greenland halibut)
- Hughes, Mary Louise  
 2: 347 (wound healing in cod)
- Hunter, John Roe  
 3: 613 (net avoidance behaviour)
- Hurn, David  
 5: 1069 (characteristics of Nitinat Lake, B.C.)
- Hybridization  
 5: 1043 (thermal resistance of pike-maskinonge hybrids)

## I

- Idler, David Richard  
 3: 539 (polyphosphate treatment of frozen cod)  
 4: 813 (storage of irradiated scallops)  
 5: 1035 (sterols of scallop muscle)  
 6: 1397 (polyphosphate treatment of frozen cod)  
 6: 1519 (sterol metabolism in oyster)  
 6: 1543 (sterols of scallop)
- Indian Arm, B.C.  
 3: 505 (primary production)
- Inlets (B.C. coast)  
 3: 505 (primary production)  
 5: 1069 (oceanographic and biotic characteristics of Nitinat Lake, B.C.)
- Introduced species  
 5: 1155 (*Mollusca* in B.C. waters)  
 5: 1325 (*Mysis relicta* in Kootenay Lake, B.C.)
- Irradiation  
 1: 37 (of refrigerated brines with ultra-violet light)  
 4: 813 (storage life of irradiated scallops)  
 4: 827 (storage life of irradiated haddock fillets)
- Isopoda (see also Crustacea)  
 5: 971 (*Holophryxus alaskensis*)

## J

- Jangaard, Peter Michael  
 4: 747 (origin of marine fatty acids)
- Jean, Yves Marie Louis  
 2: 215 (winter cod taggings off Nova Scotia)  
 3: 429 (seasonal distribution of cod)
- Jenkinson, Donald William  
 5: 1267 (key for Pacific salmon based on scales)
- Jitts, Harry Rupert  
 1: 139 (cell division rates of phytoplankters)
- John, Kenneth Rydal  
 3: 591 (retinomotor cycles)  
 6: 1453 (schooling of *Astyanax mexicanus*)
- Johnson, Waldo Eugene  
 5: 1321 (ice water in Sakinaw Lake, B.C.)
- Jonas, Richard Edmund Ernest  
 3: 653 (utilization of lipids by fish)

## K

- Kabata, Zbigniew  
4: 681 (*Lernaeopoda centroscyllii*)
- Katkansky, Stanley Charles  
1: 205 (*Mytilicola orientalis* in mussel)
- Kay, William Wayne  
4: 857 (rigor in steelhead trout)
- Keleher, James John  
3: 643 (angling in the Northwest Territories)
- Ketchen, Keith Stuart  
5: 1051 (growth and mortality of Pacific cod)
- Kohler, Allan Carl  
1: 57 (growth of Atlantic cod)  
4: 837 (movements of halibut)
- Kootenay Lake, B.C.  
5: 1325 (introduction of *Mysis relicta*)

## L

- Labrador Sea  
6: 1475 (extent of saturation with calcium carbonate)
- Lamprey (*Petromyzon marinus* and *Entosphenus* spp.)  
5: 977 (effect on lake trout distribution)
- Lamprey, Pacific (*Entosphenus tridentatus*)  
5: 1083 (distasteful to Pacific fishes)
- Lamprey, western brook (*Lampetra planeri*)  
5: 1083 (distasteful to Pacific fishes)
- Larkin, Peter Anthony  
1: 1 (sustained yields from fluctuating environments)  
3: 477 (theoretical reproduction curves)  
5: 1245 (model of salmon population)  
5: 1325 (*Mysis relicta* in Kootenay Lake, B.C.)
- Larvae  
1: 9 (development in Pacific cod)  
4: 661 (abundance and distribution of lobster)  
5: 1155 (movements of introduced molluscs in B.C. waters)  
5: 1333 (eulachon)
- Lauder, John Tweedie  
6: 1397 (polyphosphate treatment of frozen cod)
- Lawler, George Herbert  
3: 549 (*Ligula intestinalis*)  
3: 651 (hardness of "silver" pike)  
6: 1547 (northern pike with accessory fin)
- LeBrasseur, Robin John  
4: 861 (stomach contents of blue shark in Gulf of Alaska)  
5: 1101 (growth rate of pink salmon)
- Length distribution  
5: 1051 (Pacific cod)  
5: 1101 (pink salmon of various ages)  
5: 1333 (eulachon)

## Length-weight relationship

- 5: 905 (pink and chum salmon)

*Lernaeopoda centroscyllii*

- 4: 681 (redescription of parasitic copepod)

## Life history

- 3: 477 (stages as successive "stock and recruitment" relationships)  
5: 1333 (eulachon)  
6: 1523 (American and European eels)

## Light

- 1: 133 (related to activity of brown trout)  
1: 139 (effect on cell-division rates of marine phytoplankters)  
1: 159 (related to marine phytoplankton photosynthesis)  
2: 291 (effect on vertical movement rate of *Daphnia*)  
3: 591 (effect on retinomotor cycles and behaviour of teleost)  
3: 613 (associated with net avoidance by carp and other fish)  
5: 1089 (reflectivity of choroidal tapeta)  
6: 1453 (illumination, vision, and schooling of *Astyanax mexicanus*)

*Ligula intestinalis*

- 3: 549 (in Heming Lake fish)

## Limnology

- 2: 291 (movement of *Daphnia* in Lake Mendota, Wisconsin)  
5: 1321 (sea water in Sakinaw Lake, B.C.)  
5: 1325 (*Mysis relicta* in Kootenay Lake, B.C.)

## Lindsey, Casimir Charles

- 5: 977 (zoogeography of lake trout)

Lingcod (*Ophiodon elongatus*)

- 1: 37 (storage in ultraviolet irradiated refrigerated brines)

## Lipid (see also Oil)

- 1: 101 (hydrolysis in polyphosphate treated cod)  
2: 247 (structural homogeneity in fatty acids of marine)  
3: 539 (hydrolysis in polyphosphate-treated twice-frozen cod)  
3: 653 (utilization by sockeye salmon)  
4: 703 (seasonal variations in cod muscle)  
5: 1035 (seasonal variations in scallop muscle sterols and fat)  
6: 1345 (evaluation of rancidity in lean fish)  
6: 1361 (variation in rancidity in cod muscle)  
6: 1371 (inhibition of rancidity by bacteria)  
6: 1379 (fatty acid distribution in plankton)

## Liver oils

- 2: 319 (fatty acids of cod)

Lobster (*Homarus americanus*)

- 4: 661 (abundance and distribution in Northumberland Strait, Gulf of St. Lawrence)  
6: 1549 (tolerance for fluoride and wood extracts)



## Mac, Mc

- McAllister, Carey Douglas  
 1: 139 (cell division rates of phytoplankters)  
 1: 159 (phytoplankton photosynthesis)
- McAllister, Donald Evan  
 5: 1339 (distinguishing characters for sculpins)
- MacCallum, Wallace Allison  
 1: 115 (water-thawing of cod)  
 3: 539 (polyphosphate treatment of twice-frozen cod)  
 4: 719 (electronic thawing of cod)  
 6: 1397 (polyphosphate treatment of frozen trap cod)
- McCrimmon, Hugh Ross  
 2: 239 (serum of landlocked sea lamprey)
- McDonald, John  
 5: 1329 (stock size and resultant production of sockeye salmon)
- McHardy, Robert Alexander  
 3: 555 (marine ostracods)  
 3: 639 (vacuum-assisted subsampler for small planktonic organisms)
- McInerney, John Edward  
 5: 995 (salinity preference in migrating salmon)
- MacIntosh, Ruth Grant  
 3: 577 (palatability of frozen cod)
- MacIntyre, William Gordon  
 6: 1475 (dissolved calcium carbonate in Labrador Sea)
- McKenzie, Russell Alderson  
 1: 203 (observations on herring spawning of southwest Nova Scotia)  
 4: 863 (morphometric description of porbeagle from Canadian Atlantic waters)  
 4: 865 (morphometric description of blue shark from Canadian Atlantic waters)
- MacLean, Jill Enid  
 6: 1345 (evaluation of rancidity in fish muscle)  
 6: 1361 (variations in rancidity in lean fish muscle)  
 6: 1371 (bacterial inhibition of rancidity in lean fish muscle)
- McNaught, Donald Curtis  
 2: 291 (movement of *Daphnia*)
- McNeil, William John  
 6: 1385 (pink salmon egg recruitment)

## M

- Manzer, James Ivan  
 5: 891 (vertical distribution of *Oncorhynchus*)
- Margolis, Leo  
 5: 873 (parasitic copepod, *Caligys clemensi* sp. nov.)

## Marking and tagging

- 1: 27 (movement of young Atlantic salmon)  
 2: 215 (Atlantic cod)  
 2: 415 (age and growth of female sea lions)  
 3: 485 (sockeye salmon to determine homing)  
 4: 837 (Atlantic halibut)  
 5: 1019 (sea mortality rates of pink salmon)  
 5: 1051 (growth and mortality of Pacific cod)  
 5: 1101 (growth rate of pink salmon)
- Martin, William Robert  
 2: 215 (winter cod taggings off Nova Scotia)
- Maskinonge or muskellunge (*Esox masquinongy*)  
 4: 727 (population dynamics)  
 5: 1043 (thermal resistance of hybrids with pike)

## Maturity

- 4: 773 (age of maturity of fur seals)  
 5: 1333 (eulachon)  
 6: 1403 (pandalid shrimps of B.C.)
- May, Arthur William  
 2: 413 (asymmetrical pair of cod otoliths)

## Metabolism

- 5: 1183 (of young sockeye salmon)  
 6: 1519 (of sterols in Atlantic oyster)

## Meteorological factors

- 2: 397 (effect of wind on circulation pattern of northeastern Pacific)  
 5: 941 (effect on oceanographic structure of North Pacific)

## Migration

- 2: 215 (Atlantic cod)  
 3: 429 (Atlantic cod)  
 4: 837 (Atlantic halibut)  
 5: 995 (salinity preference of Pacific salmon)  
 5: 1227 (Pacific salmon in ocean)  
 6: 1523 (American and European eels)

## Mollusca

- 1: 205 (host of parasitic copepod, *Mytilicola orientalis*)  
 5: 1155 (species introduced to B.C. waters)

## Morphology and morphometry

- 4: 863 (porbeagle in northwest Atlantic)  
 4: 865 (blue shark in northwest Atlantic)  
 5: 1129 (Greenland halibut)  
 5: 1339 (comparison of sculpins, *Cottus bairdii* and *C. cognatus*)

## Mortality

- 4: 773 (factors in prenatal mortality of fur seals)  
 6: 1385 (pink salmon egg loss during spawning)

## Mortality rate

- 3: 477 (compensatory and depensatory types)  
 4: 727 (maskinonge)  
 5: 905 (and ocean growth of pink and chum salmon)  
 5: 1019 (sea mortality of pink salmon)  
 5: 1051 (Pacific cod)

## Movement

- 1: 27 (young Atlantic salmon)
- 2: 215 (Atlantic cod)
- 2: 291 (*Daphnia* populations in relation to light)
- 4: 837 (Atlantic halibut)

## Muir, Barry Sinclair

- 4: 727 (vital statistics of *Esox masquinongy*)

## Muscle

- 2: 367 (fatty acids of cod)
- 4: 703 (seasonal variations in composition of cod)
- 4: 813 (glycolysis in irradiated scallop)
- 4: 857 (rigor mortis and adenosine triphosphate in steelhead trout)
- 5: 1035 (sterol, fat, and unsaponifiable components of scallop)
- 6: 1345 (evaluation of rancidity in lean fish)
- 6: 1361 (anatomical and seasonal variations in rancidity in cod)
- 6: 1371 (inhibition of rancidity by bacteria in cod)
- 6: 1539 (glycolysis in rainbow trout and effects of anaesthesia)

Mussel, blue or bay (*Mytilus edulis*)

- 1: 205 (host of parasitic copepod, *Mytilicola orientalis*)

Mussel, California (*Mytilus californianus*)

- 1: 205 (host of parasitic copepod, *Mytilicola orientalis*)

## Myer, Margaret Jean

- 3: 577 (palatability of frozen cod)

*Mysis relicta*

- 5: 1325 (introduction in Kootenay Lake, B.C.)

*Mytilicola orientalis*

- 1: 205 (first record for parasitic copepod in gill of California mussel)

## N

## Neal, Wanda Eloise

- 4: 813 (storage of irradiated scallops)
- 4: 827 (gamma irradiation of haddock fillets)

## Neave, Ferris

- 5: 1227 (ocean migrations of Pacific salmon)

## Nets, fishing

- 3: 613 (avoidance by carp and other fish)

## Newfoundland

- 3: 597 (fecundity of American plaice)

## New species

- 2: 355 (decapod, *Pagurus arcuatus*)
- 3: 555 (a new subspecies of ostracod, *Conchoecia alata minor*)
- 5: 873 (parasitic copepod, *Caligus clemensi*)
- 5: 933 (gunnel, *Pholis clemensi*)

## Nicol, Joseph Arthur Colin

- 5: 1089 (reflectivity of chorioidal tapeta of selachians)

## Nitinat Lake, B.C.

- 5: 1069 (oceanographic and biotic characteristics)

## Nitrate

- 1: 159 (effect on growth of marine phytoplankton)

## Northcote, Thomas Gordon

- 5: 1069 (characteristics of Nitinat Lake, B.C.)

- 5: 1321 (sea water in Sakinaw Lake, B.C.)

## Northumberland Strait, Gulf of St. Lawrence

- 4: 661 (abundance and distribution of lobster larvae)

## Northwest Territories

- 3: 643 (angling licence sales)

## Nutritive value (see also Analysis, chemical)

- 6: 1489 (various fish protein concentrates)

## O

## Obituary

- 2: 409 (Horace Nicholas Brocklesby)

## Oceanography

- 3: 647 (bathythermograph card processor)

## Oceanography, Atlantic

- 1: 45 (cold saline water in Foxe Basin)
- 1: 183 (plankton species related to water body in eastern North Atlantic)
- 2: 327 (anomalous temperature conditions in Northwest Atlantic)
- 6: 1475 (dissolved calcium carbonate in Labrador Sea)
- 6: 1523 (breeding areas of American and European eels)

## Oceanography, Pacific

- 2: 397 (vertical transport velocity in north-eastern Pacific)
- 3: 505 (primary production of B.C. fjord)
- 5: 941 (regions and temperature structure)
- 5: 1069 (characteristics of Nitinat Lake, a B.C. inlet)
- 5: 1289 (dispersion of kraft-mill effluent in Stuart Channel, B.C.)
- 5: 1321 (sea water in Sakinaw Lake, B.C.)

## Odense, Paul Holger

- 6: 1397 (polyphosphate treatment of frozen cod)

## Olfactory apparatus

- 2: 373 (development and histology in grayling)

## Oil (see also Lipid; Liver oils)

- 2: 319 (fatty acids of cod liver)
- 4: 841 (fatty acids of pilchard)

## Organs, internal

- 1: 107 (neuroisine, oligopeptide from fish brain)
- 3: 469 (fatty acids of cod roe)
- 3: 635 (obtaining pituitary glands from fish)
- 3: 653 (fatty acid oxidation by tissues from sockeye salmon)

## Osmoregulation

- 6: 1535 (adaptation of anadromous salmonids to sea water)



- Ostracoda, marine (*see also* Crustacea)  
3: 555 (from Indian Arm, B.C.)
- Otoliths  
2: 413 (asymmetrical pair in cod)
- Outram, Donald Noel  
5: 1317 (Pacific herring spawning)
- Ovary (*see also* Organs, internal)  
4: 757 (size groups of oocytes in guppy)  
4: 773 (fur seal)
- Oxygen, dissolved  
3: 505 (related to primary production of B.C. fjord)  
5: 1069 (Nitinat Lake, B.C.)  
5: 1321 (Sakinaw Lake, B.C.)
- Oxygen requirements  
5: 1183 (related to swimming speeds in young sockeye salmon)
- Oyster, Atlantic (*Crassostrea virginica*)  
6: 1519 (sterol metabolism)
- Oyster, native (*Ostrea lurida*)  
1: 205 (host of parasitic copepod *Mytilicola orientalis*)
- Oyster, Pacific (*Crassostrea gigas*)  
5: 1155 (distribution in B.C. waters)  
6: 1481 (identification of characteristic odour)
- Oyster drill (*Purpura (Mancinella) clavigera*)  
5: 1155 (distribution in B.C. waters)
- Oyster drill, eastern (*Urosalpinx cinerea*)  
5: 1155 (distribution in B.C. waters)
- Oyster drill, Japanese (*Ocenebra japonica*)  
5: 1155 (distribution in B.C. waters)
- P**
- Parasites  
1: 205 (*Mytilicola orientalis*, in gut of molluscs)  
2: 335 (myxosporidian parasites causing "milky" condition in Pacific coast fishes)  
3: 549 (*Ligula intestinalis* in Heming Lake fish)  
4: 681 (copepod, *Lernaepoda centroscyllii*, parasitic on dogfish)  
5: 873 (copepod, *Caligus clemensi* sp. nov.)  
5: 971 (isopod, *Holophryxus alaskensis*)
- Parker, Robert Ray  
5: 873 (*Caligus clemensi* sp. nov.)  
5: 1019 (sea mortality rates of pink salmon)  
5: 1101 (growth rate of pink salmon)
- Pasiphaea pacifica* (Decapoda)  
5: 971 (host of isopod, *Holophryxus alaskensis*)
- Patashnik, Max  
2: 335 ("milky" condition in fish)
- Peptide  
1: 107 (neurosine, oligopeptide from fish brain)
- Pfeiffer, Wolfgang  
5: 1083 (cells of lamprey skin)
- Phosphate (*see also* Polyphosphate)  
1: 159 (effect on growth of marine phytoplankton)
- Photosynthesis  
1: 159 (of marine phytoplankton)
- Physiology  
4: 773 (reproduction of fur seals)  
5: 1089 (reflectivity of chorioidal tapeta of selachians)  
5: 1183 (metabolism and swimming performance of young sockeye salmon)  
6: 1535 (adaptation of salmonids to sea water)
- Pike, northern (*Esox lucius*)  
3: 651 (evidence of hardiness)  
5: 1043 (thermal resistance of hybrids with maskinonge)  
6: 1547 (with accessory fin)
- Pilchard (*Sardinops sagax*) (*see also* Sardine, Pacific)  
4: 841 (component fatty acids of oil)
- Pitt, Thomas Kenton  
3: 597 (American plaice fecundity)
- Plaice, American (*Hippoglossoides platessoides*)  
3: 597 (fecundity)
- Plankton, marine  
1: 139 (cell-division rates as function of light and temperature)  
1: 159 (photosynthesis as function of light intensity)  
3: 505 (contribution in primary production of B.C. fjord)  
3: 555 (ostracods from Indian Arm, B.C.)  
3: 639 (vacuum-assisted subsampler)  
4: 747 (fatty acids produced by diatom, *Skeletonema costatum*)  
5: 1069 (Nitinat Lake, B.C.)  
6: 1379 (fatty acid distribution in lipids)
- Platford, Robert Frederick  
6: 1475 (dissolved calcium carbonate in Labrador Sea)
- Pletcher, Ferdinand Tony  
5: 1083 (cells of lamprey skin)
- Pollution  
5: 1289 (dispersion of kraft-mill effluent)
- Polyphosphate  
1: 101 (treatment of frozen cod)  
3: 539 (treatment of twice-frozen cod)  
4: 719 (drip from electronically thawed cod treated with)  
6: 1397 (treatment of frozen trap cod)
- Population dynamics  
1: 1 (sustained yields from fluctuating environments)  
3: 477 (theoretical reproduction curves)  
4: 727 (maskinonge)  
5: 905 (pink and chum salmon)  
5: 1019 (sea mortality rates of pink salmon)  
5: 1051 (Pacific cod)  
5: 1245 (model for Pacific salmon)  
5: 1329 (stock size and resultant production of sockeye salmon)  
6: 1385 (recruitment of pink salmon eggs to spawning bed)
- Porbeagle (*Lamna nasus*)  
4: 863 (morphometric description from northwest Atlantic)

## Power, Henry Edwin

- 4: 813 (storage of irradiated scallops)
- 4: 827 (gamma irradiation of haddock filets)
- 6: 1489 (fish protein concentrate)

## Predation

- 5: 1083 (limited on lamprey)

## Production, primary

- 3: 505 (of B.C. fjord)

## Protein

- 1: 101 (effect of polyphosphate in frozen cod)
- 2: 239 (patterns of sea lamprey serum)
- 3: 539 (extractability in polyphosphate-treated twice-frozen cod)
- 4: 703 (seasonal variations in cod muscle)

## Q

## Quality

- 2: 335 ("milky" condition in Pacific fishes)
- 3: 577 (frozen cod and effect of cooking method)
- 4: 813 (scallop after gamma irradiation)
- 4: 827 (haddock filets after gamma irradiation)
- 6: 1397 (assessment of polyphosphate-treated frozen trap cod)

## Quayle, Daniel Branch

- 5: 1155 (Mollusca in B.C. waters)

## R

## Raleigh, Robert Franklin

- 3: 477 (theoretical reproduction curves)
- 3: 485 (homing of sockeye salmon)

## Rancidity

- 6: 1345 (acceleration and evaluation in lean fish muscle)
- 6: 1361 (anatomical and seasonal variations in cod muscle)
- 6: 1371 (inhibition by bacteria in cod)

## Rees, Edward Ivor Shinner

- 1: 209 (record of *Nessorhamphus ingolfianus*)

## Refrigerated sea water

- 1: 37 (ultraviolet irradiation to control bacteria)

## Reproduction

- 4: 773 (female fur seal)
- 6: 1403 (pandalid shrimps of B.C.)

## Reproduction curves

- 3: 477 (involving compensatory and/or depensatory processes)
- 5: 1245 (population dynamics model for Pacific salmon)
- 5: 1329 (stock size and resultant production for sockeye salmon)

## Respiration

- 5: 1183 (metabolism of young sockeye salmon)

## Retina

- 3: 591 (retinomotor cycles of teleost)

## Ricker, William Edwin

- 1: 1 (sustained yields from fluctuating environments)
- 5: 905 (Pacific salmon growth and mortality)

## Rigor mortis

- 4: 857 (onset in steelhead trout)

## Roach, Stewart Williard

- 4: 845 (air-lift pump for elevating fish)

Rockfish, silvergrey (*Sebastes brevispinis*)

- 4: 855 (description)

## Ronald, Alexander Pollock

- 6: 1481 (sulphur compounds of oysters)

## Rosenblatt, Richard Heinrich

- 5: 933 (gunnel, *Pholis clemensi* sp. nov.)

## Rutherglen, Raymond Alan

- 5: 1325 (*Mysis relicta* in Kootenay Lake, B.C.)

## S

## Sakinaw Lake, B.C.

- 5: 1321 (containing saline water)

## Salinity (see also Oceanography)

- 1: 45 (cold high-salinity water in Foxe Basin)
- 1: 183 (and plankton distribution in eastern North Atlantic)
- 5: 941 (related to oceanographic structure of North Pacific)
- 5: 995 (related to Pacific salmon migration)
- 5: 1069 (Nitinat Lake, B.C.)
- 5: 1321 (Sakinaw Lake, B.C.)
- 6: 1475 (dissolved calcium carbonate in Labrador Sea)
- 6: 1535 (adaptation of salmonids to sea water)

Salmon, Atlantic (*Salmo salar*)

- 1: 17 (lethal concentrations of copper and zinc)
- 1: 27 (movements in a small stream)

Salmon, chinook (*Oncorhynchus tshawytscha*)

- 2: 255 (changes in glycogen and lactate in migrating)

Salmon, chum (*Oncorhynchus keta*)

- 3: 657 (unusually late-spawning specimen)
- 5: 905 (ocean growth and mortality)

Salmon, coho (*Oncorhynchus kisutch*)

- 2: 335 ("milky" condition in)

Salmon, Pacific (*Oncorhynchus* spp.)

- 4: 711 (technique for prolonged blood sampling)
- 5: 873 (host of *Caligus clemensi* sp. nov.)
- 5: 891 (vertical distribution in Gulf of Alaska)
- 5: 995 (salinity preference in migration)
- 5: 1227 (ocean migrations)
- 5: 1245 (model for simulation of population biology)
- 5: 1267 (key to species based on scale characters)

- Salmon, pink (*Oncorhynchus gorbuscha*)  
 5: 905 (ocean growth and mortality)  
 5: 1019 (sea mortality rate)  
 5: 1101 (growth rate for stages in life history)  
 6: 1385 (redd superimposition and egg capacity of spawning beds)
- Salmon, sockeye (*Oncorhynchus nerka*)  
 1: 37 (storage in ultraviolet irradiated refrigerated brines)  
 2: 255 (changes in glycogen and lactate in migrating)  
 3: 485 (tributary homing)  
 3: 653 (fatty acid oxidation by tissues)  
 5: 1183 (respiratory metabolism and swimming speed)  
 5: 1329 (stock size and resultant production on Skeena River, B.C.)
- Salmonidae  
 2: 255 (changes in glycogen and lactate in migrating)  
 6: 1535 (osmoregulatory adaptation to sea water)
- Sardine, Pacific (*Sardinops caerulea*) (see also Pilchard)  
 4: 691 (serologically differentiated subpopulations)
- Sauer, Charles Douglas  
 3: 647 (bathymetograph card processor)
- Saunders, Richard Lee  
 1: 27 (movements of young Atlantic salmon)
- Scale characters  
 5: 1267 (basis for key to species of Pacific salmon)
- Scallop (*Placopecten magellanicus*)  
 4: 813 (storage life after gamma irradiation)  
 5: 1035 (seasonal variations in the sterols of muscle)  
 6: 1543 (chromatographic identification of sterols)
- Scarratt, David Johnson  
 4: 661 (abundance of lobster larvae)
- Schmidt, Peter Joseph  
 3: 635 (technique for obtaining pituitary glands from fish)
- Schooling  
 6: 1453 (illumination and vision of *Astyax mexicanus*)
- Scott, David Paul  
 5: 1043 (thermal resistance of pike, muskellunge, and hybrids)
- Sculpin, mottled (*Cottus bairdii*)  
 5: 1339 (distinguished from *C. cognatus*)
- Sculpin, slimy (*Cottus cognatus*)  
 5: 1339 (distinguished from *C. bairdii*)
- Sea lamprey (*Petromyzon marinus*)  
 2: 239 (serum protein patterns)
- Sea lion, northern (*Eumetopias jubata*)  
 2: 415 (age and growth of females)
- Seal, fur (*Callorhinus ursinus*)  
 4: 773 (histology of reproduction and estrus cycle)
- Selachians  
 5: 1089 (reflectivity of chorioidal tapeta)
- Serology  
 4: 691 (subpopulations of Pacific sardine)
- Shah, Navin Maneklal  
 1: 159 (phytoplankton photosynthesis)
- Shark, blue (*Prionace glauca*)  
 4: 861 (stomach contents—northeast Pacific)  
 4: 865 (morphometric description—northwest Atlantic)
- Shepard, Michael Perry  
 5: 1267 (key for Pacific salmon based on scales)  
 5: 1329 (stock size and resultant production of sockeye salmon)
- Shieh, Hang-shan  
 3: 539 (polyphosphate treatment of frozen cod)
- Shiner, spottail (*Notropis hudsonius*)  
 3: 549 (host of *Ligula intestinalis* in Hemming Lake, Manitoba)
- Shipworm, Atlantic (*Teredo navalis*)  
 5: 1155 (distribution in B.C. waters)
- Shrimps (Peneidea and Caridea)  
 2: 419 (records of six species off B.C.)
- Shrimps (Pandalidae)  
 6: 1403 (growth, reproduction, and distribution in B.C.)
- Sipos, John Charles  
 2: 423 ("blackberry" problem in cod)  
 4: 841 (fatty acids of pilchard oil)
- Skate, big (*Raja binoculata*)  
 4: 851 (egg cases)
- Skeletonema costatum* (see Diatoms)
- Skin  
 5: 1083 (Pacific coast lamprey, histology of)
- Smelts (see Eulachon)
- Smith, Lynwood Stephen  
 4: 711 (technique for prolonged blood sampling in salmon)
- Smith, Michael  
 3: 635 (technique for obtaining pituitary glands from fish)  
 3: 641 (amino acid composition of bacteria related to taxonomy)
- Snail, eastern mud (*Nassarius obsoletus*)  
 5: 1155 (distribution in B.C. waters)
- Sole, Dover (*Microstomus pacificus*)  
 2: 335 ("milky" condition in)
- Sole, lemon (*Parophrys vetulus*)  
 4: 765 (precursors of trimethylamine oxide and betaine in)
- Sole, petrale (*Eopsetta jordani*)  
 2: 335 ("milky" condition in)
- Sole, rock (*Lepidopsetta bilineata*)  
 6: 1531 (demersal quality of fertilized eggs)  
 6: 1533 (rate of development of eggs)
- Southcott, Burnett Anne  
 1: 37 (irradiation of refrigerated brines)

## Spalding, David Joseph

- 2: 415 (age and growth of sea lions)

## Sparks, Albert Kirk

- 1: 205 (*Mytilicola orientalis* in mussel)

## Sparrow, Roger Arthur Hugh

- 5: 1325 (*Mysis relicta* in Kootenay Lake, B.C.)

## Spawning

- 1: 203 (Atlantic herring)  
3: 485 (sockeye salmon in specific tributaries of lakes)  
3: 657 (late-spawning chum salmon)  
5: 1317 (Pacific herring)  
6: 1385 (egg capacity of pink salmon spawning beds)  
6: 1523 (breeding areas of American and European eels)

## Sprague, John Booty

- 1: 17 (toxic pollutants to Atlantic salmon)

## Squires, Hubert Jacob

- 2: 355 (description of hermit crab)  
3: 461 (neotype of *Argis lar*)

## Stephens, Kenneth Valentine Cory

- 1: 139 (cell division rates of phytoplankters)

## Sterols

- 5: 1035 (seasonal variations in scallop muscle)  
6: 1519 (metabolism in Atlantic oyster)  
6: 1543 (of scallop)

## Stevenson, James Cameron

- 5: (i) (Editor's Foreword)

## Stewart, James Edward

- 6: 1549 (lobster tolerance to wood extracts)

Stickleback, threespine (*Gasterosteus aculeatus*)

- 5: 873 (host of *Caligus clemensi* sp. nov.)

## Stomach contents

- 5: 1083 (lack of lamprey in Pacific fishes)

## Strickland, John Douglas Hipwell

- 1: 139 (cell division rates of phytoplankters)  
1: 159 (phytoplankton photosynthesis)

## Stuart Channel, B.C.

- 5: 1289 (dispersion of kraft-mill effluent)

Sucker, white (*Catostomus commersoni*)

- 3: 549 (host of *Ligula intestinalis* in Heming Lake, Manitoba)

## Swift, Donald Robert

- 1: 133 (activity cycles in brown trout)

## Swimming speed

- 5: 1183 (and respiratory metabolism of young sockeye salmon)

## T

## Tagging (see Marking and tagging)

## Tamura, Toshitake

- 5: 1035 (sterols of scallop muscle)  
6: 1519 (sterol metabolism in oyster)  
6: 1543 (sterols of scallop)

## Taxonomy

- 2: 355 (hermit crab, *Pagurus pubescens*, and closely related species)  
3: 461 (comparison between crustaceans, *Argis lar* and *A. dentata*)  
3: 555 (ostracods, including a new subspecies, *Conchoecia alata minor*)  
3: 641 (of bacteria in relation to amino acid composition)  
4: 681 (parasitic copepod, *Lernaeopoda centroscyllii*)  
4: 691 (serologically differentiated subpopulations of Pacific sardine)  
4: 855 (silverygrey rockfish)  
4: 863 (porbeagle in northwest Atlantic)  
4: 865 (blue shark in northwest Atlantic)  
5: 873 (parasitic copepod, *Caligus clemensi* sp. nov.)  
5: 933 (gunnel or eel-blenny, *Pholis clemensi* sp. nov.)  
5: 971 (redescription of parasitic isopod, *Holophryxus alaskensis*)  
5: 1129 (synonymy of Greenland halibut)  
5: 1267 (key for Pacific salmon based on scales)  
5: 1339 (distinguishing characters for sculpins, *Cottus bairdii* and *C. cognatus*)  
6: 1403 (key to pandalid shrimps of B.C.)  
6: 1505 (key to ascidians of Canadian arctic)

## Taylor, Frederick Henry Carlyle

- 5: 1317 (Pacific herring spawning)

## Temperature, reaction to

- 1: 9 (effect on hatching of Pacific cod)  
1: 17 (lethal concentrations of copper and zinc for young Atlantic salmon)  
1: 57 (effect on food consumption)  
1: 139 (effect on cell division rate of marine phytoplanktons)  
2: 215 (factor in Atlantic cod migration)  
3: 429 (related to seasonal distribution of Atlantic cod)  
3: 613 (associated with net avoidance by carp and other fish)  
5: 891 (vertical movement of Pacific salmon in Gulf of Alaska)  
5: 1043 (thermal resistance of pike, masquinonge, and hybrids)  
5: 1183 (effect on swimming performance of young sockeye salmon)  
6: 1533 (effect on development of rock sole eggs)

## Temperature, water (see also Oceanography)

- 1: 45 (associated with high salinity in Foxe Basin)  
1: 183 (and plankton distribution in eastern North Atlantic)  
2: 327 (anomalous temperature conditions in eastern North Atlantic)  
3: 647 (bathythermograph card processor)  
5: 941 (oceanographic regions of North Pacific)  
5: 1069 (Nitinat Lake, B.C.)  
5: 1227 (associated with ocean migration of Pacific salmon)  
5: 1321 (Sakinaw Lake, B.C.)

- Tetra, black-banded (*Astyanax mexicanus*)**  
 3: 591 (retinomotor cycles and correlated behaviour)
- Thawing**  
 1: 115 (frozen cod blocks in water)  
 4: 719 (temperatures and drip in cod with electronic)
- Thomas, Martin Lewis Hall**  
 2: 239 (serum of landlocked sea lamprey)
- Thomson, William Alexander Brown**  
 6: 1481 (sulphur compounds of oysters)
- Tibbo, Simeon Noel**  
 4: 863 (morphometric description of porbeagle from Atlantic waters)  
 4: 865 (morphometric description of blue shark from Atlantic waters)
- Tomlinson, Neil**  
 4: 857 (rigor in steelhead trout)
- Townsend, Philip McNair**  
 2: 347 (wound healing in cod)
- Toxicity**  
 1: 17 (copper and zinc for young Atlantic salmon)  
 6: 1549 (of wood extracts and fluoride to lobsters)
- Trason, Winona Bethune**  
 6: 1505 (arctic ascidians)
- Trevor-Smith, Edward**  
 2: 255 (glycogen and lactate in migrating salmonids)
- Trimethylamine oxide**  
 4: 765 (biosynthesis in marine teleosts)
- Trout, brown (*Salmo trutta*)**  
 1: 133 (activity cycles)
- Trout, lake (*Salvelinus namaycush*)**  
 5: 977 (zoogeography)
- Trout, rainbow (*Salmo gairdneri*) (see also Trout, steelhead)**  
 6: 1539 (effects of anaesthesia on glycolysis)
- Trout, steelhead (*Salmo gairdneri*) (see also Trout, rainbow)**  
 2: 255 (changes in glycogen and lactate in migrating)  
 4: 857 (onset of rigor mortis)
- Truscott, Beryl**  
 6: 1519 (sterol metabolism in oyster)  
 6: 1543 (sterols of scallop)
- Tsuyuki, Hiroshi**  
 3: 635 (technique for obtaining pituitary glands from fish)
- Tully, John Patrick**  
 5: 941 (climatic regions of North Pacific)
- V**
- Variation, geographic**  
 5: 1129 (Greenland halibut)
- Vertical distribution**  
 5: 891 (Pacific salmon in Gulf of Alaska)
- Vision**  
 6: 1453 (illumination and schooling of *Astyanax mexicanus*)
- Visual response**  
 2: 291 (threshold for *Daphnia*)  
 3: 591 (*Astyanax mexicanus*)  
 3: 613 (related to net avoidance by carp and other fish)
- Vladykov, Vadim Dmitrovich**  
 6: 1523 (breeding area of American eel)
- Vrooman, Andrew Merrill**  
 4: 681 (subpopulations of Pacific sardine)
- W**
- Wainai, Tohru**  
 5: 1035 (sterols of scallop muscle)  
 6: 1543 (sterols of scallop)
- Waldichuk, Michael**  
 5: 1289 (kraft-mill effluent)
- Watling, Harold**  
 2: 373 (olfactory apparatus of grayling)
- Weather (see Meteorological factors)**
- Westrheim, Sigurd Jergen**  
 4: 855 (rockfish, *Sebastes brevispinis*, in B.C. waters)
- Whiting (*Theragra chalcogrammus*)**  
 5: 873 (host of *Caligus clemensi* sp. nov.)
- Wickett, William Percy**  
 3: 657 (unusually late-spawning chum salmon)
- Wilimovsky, Norman Joseph**  
 3: 477 (theoretical reproduction curves)  
 5: 1129 (distribution of Greenland halibut)
- Wilson, Mildred Stratton**  
 5: 1069 (characteristics of Nitinat Lake, B.C.)
- Wind (see Meteorological factors)**
- Wisby, Warren Jensen**  
 3: 613 (net avoidance behaviour)
- Withler, Frederick Curtis**  
 5: 1329 (stock size and resultant production of sockeye salmon)
- Worthington, Lawrence Valentine**  
 2: 327 (anomalous temperature conditions in eastern North Atlantic)
- Wound healing**  
 2: 347 (in Atlantic cod)
- Y**
- Yield**  
 1: 1 (related to fluctuating environment)  
 3: 539 (from polyphosphate-treated twice-frozen cod)  
 5: 905 (high seas versus coastal fishing for Pacific salmon)  
 5: 1245 (population dynamics model for Pacific salmon)
- Yurkowski, Michael**  
 6: 1379 (fatty acids in plankton lipids)
- Z**
- Zinc**  
 1: 17 (lethal concentration for young Atlantic salmon)
- Zoogeography**  
 5: 977 (lake trout)  
 5: 1129 (Greenland halibut)